



## Clip-Grip Hose Clamp, screwable, Steel quality W4, stainless steel 1.4301

screwable clamp for attaching all hose types from the Master-Clip series to mobile and stationary systems

---

### Product Details

#### Construction / Material

- Specification of the connection solution: largely tension-resistant and largely leak-proof connection due to bridge profiles
- Clamp Design: Clamp with housing, worm thread and clamping screw, Clamping screw in sizes M5-M10 designed as slotted hexagon screw, Clamp band with single or multiple bridges, spot welded bridge
- Material of the clamp: Stainless steel 1.4301

#### Properties

- Chemical Properties: rust-protected
- Other: easy to assemble

#### Operating Temperature

#### Delivery Information

#### Application Areas

#### Customizing Options

---

### Article Variants

Article number	DN of the hose mm	Type	Clamping range mm
001488	40/45	for Master-Clip hoses in DN 40/45	35 - 55
001490	50	for Master-Clip hoses in DN 50/55	45 - 65
001492	60/65	for Master-Clip hoses in DN 60/65	55 - 75
001494	70/75	for Master-Clip hoses in DN 70/75	65 - 85
001496	80	for Master-Clip hoses in DN 80	75 - 95
001498	90	for Master-Clip hoses in DN 90	85 - 105
001500	100	for Master-Clip hoses in DN 100	95 - 115
001504	110	for Master-Clip hoses in DN 110/115	105 - 125
001507	120/125	for Master-Clip hoses in DN 120/125	115 - 135
001509	130	for Master-Clip hoses in DN 130	125 - 145
001511	140	for Master-Clip hoses in DN 140	135 - 155
001513	150	for Master-Clip hoses in DN 150	145 - 165
001515	160	for Master-Clip hoses in DN 160	155 - 175
001518	170/175	for Master-Clip hoses in DN 170/175	165 - 185
001520	180	for Master-Clip hoses in DN 180	175 - 195
001523	200	for Master-Clip hoses in DN 200	195 - 215
001526	215	for Master-Clip hoses in DN 215	205 - 225
001528	225	for Master-Clip hoses in DN 225	215 - 235
001530	250	for Master-Clip hoses in DN 250	245 - 265
001534	275	for Master-Clip hoses in DN 275	265 - 285
001538	300	for Master-Clip hoses in DN 300	295 - 315
001540	315	for Master-Clip hoses in DN 315	305 - 325
001542	325	for Master-Clip hoses in DN 325	315 - 335
001544	350	for Master-Clip hoses in DN 350	345 - 365
001547	375	for Master-Clip hoses in DN 375	365 - 385
001549	400	for Master-Clip hoses in DN 400	395 - 415
001553	450	for Master-Clip hoses in DN 450	445 - 465
001555	500	for Master-Clip hoses in DN 500	495 - 515
001558	550	for Master-Clip hoses in DN 550	545 - 565
001562	600	for Master-Clip hoses in DN 600	595 - 615
001565	700	for Master-Clip hoses in DN 700	695 - 715
001569	800	for Master-Clip hoses in DN 800	795 - 815
001536	280	for Master-Clip hoses in DN 280	275 - 295

Subject to technical changes and colour deviations

## Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

### Individual consultation

We offer consultation by  
phone:  
+49 209 97077-112

Product requests via  
[masterflex.de/en](https://www.masterflex.de/en)

### Address Headquarters

Masterflex SE  
Willy-Brandt-Allee 300  
45981 Gelsenkirchen

