



Hose connector

Sheet steel connector for extending, connecting and joining light to medium-weight hoses

Product Details

Construction / Material

- Design of the hose connector: Round-rolled sheet steel with central, outwardly directed reinforcing beads
- Material of the hose connector: Sheet steel, galvanised

Properties

- Chemical Properties: rust-protected
- Other: easy to assemble

Operating Temperature

Delivery Information

- Delivery, type of production: Various nominal widths are available ex production, individual nominal widths also ex stock, individual nominal widths also ex stock

Application Areas

Customizing Options

Article Variants

Article number	DN of the hose mm	Insertion depth of the hose mm	Material thickness mm	Length mm
002222	50	40	0.6	90
002226	55	40	0.6	90
002227	60	40	0.6	90
002229	65	40	0.6	90

Article number	DN of the hose mm	Insertion depth of the hose mm	Material thickness mm	Length mm
002230	70	40	0.6	90
002231	75	40	0.6	90
002232	80	40	0.6	90
002233	90	40	0.6	90
002234	100	40	0.6	90
002235	110	40	0.6	90
002237	120	40	0.6	90
002238	125	40	0.6	90
002239	130	40	0.6	90
002240	140	40	0.6	90
002241	150	40	0.6	90
002246	160	40	0.6	90
002248	170	40	0.6	90
002249	175	40	0.6	90
002250	180	40	0.6	90
002252	200	40	0.6	90
002254	215	40	0.6	90
002255	225	40	0.6	90
002257	250	60	0.6	130
002258	275	60	0.6	130
002260	300	60	0.6	130
002261	315	60	0.7	130
002262	350	60	0.7	130
002263	400	80	0.7	170
002264	450	80	0.7	170
002265	500	80	0.7	170
002266	550	80	0.7	170
002267	600	80	0.7	170
002268	700	100	0.9	210
002269	800	100	0.9	210
002270	900	100	1	210

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Individual consultation

We offer consultation by
phone:
+49 209 97077-112

Product requests via
[masterflex.de/en](https://www.masterflex.de/en)

Address Headquarters

Masterflex SE
Willy-Brandt-Allee 300
45981 Gelsenkirchen

